






Appearance	Model	Recording resolution	Description	PRICE
DS-7100 series Plastic 1U Turbo HD DVR				
	DS-7104HGHI-K1	HD1080P Lite	4 Turbo HD/AHD/Analog interface input, 4-ch HDTV/ coaxial video&audio input, 1-ch RCA audio input, 1 SATA interface, HD1080P Lite: 25(P)/30(N) fps/ch, mini 1U case	21275
	DS-7108HGHI-K1	HD1080P Lite	8 Turbo HD/AHD/Analog interface input, 8-ch HDTV/ coaxial video&audio input, 1-ch RCA audio input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: 12fps/ch, mini 1U case	25573
	DS-7116HGHI-K1(S) (Turbo HD 4.0)	HD1080P Lite	16 Turbo HD/AHD/Analog interface input, 16-ch HDTV/ coaxial video&audio input, 1-ch RCA audio input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: 12fps/ch, mini 1U case	50017
	DS-7104HQHI-K1(S) (Turbo HD 4.0)	1080P/4MP Lite	4 Turbo HD/AHD/Analog interface input, 4-ch HDTV/ coaxial video&audio input, 1-ch RCA audio input, 2-ch IP video input(up to 6-ch IP), 1 SATA interface, CH01: 3MP@15fps, CH01-04:1920x1080P/4MP Lite@15fps/ch, mini 1U case	34469
	DS-7108HQHI-K1(S) (Turbo HD 4.0)	1080P/4MP Lite	8 Turbo HD/AHD/Analog interface input, 8-ch HDTV/ coaxial video&audio input, 1-ch RCA audio input, 4-ch IP video input(up to 12-ch IP), 1 SATA interface, CH01&02:3MP@15fps, CH01-08:1920x1080P/4MP Lite@15fps/ch,	47395
	DS-7116HQHI-K1(S) (Turbo HD 4.0) change to iDS- 7116HQHI-M1/S	1080P/4MP Lite	16 Turbo HD/AHD/Analog interface input, 16-ch HDTV/ coaxial video&audio input, 1-ch RCA audio input, 8-ch IP video input(up to 24-ch IP), 1 SATA interface, CH01-04: 3MP @ 15fps, CH01-16:1920x1080P/4MP Lite@15 fps/ch,	79048
DS-7200 series 1U Turbo HD DVR				
Front panel buttons, Alarm I/O and audio input optional				
	DS-7204HGHI-K1	HD1080P Lite	4 Turbo HD/AHD/Analog interface input, 4-ch HDTV/ coaxial video&audio input, 1-ch RCA audio input, 1-ch IP video input, 1 SATA interface, HD1080P Lite: 25(P)/30(N) fps/ch, 260 1U case	29206
	DS-7208HGHI-K1	HD1080P Lite	8 Turbo HD/AHD/Analog interface input, 8-ch HDTV/ coaxial video&audio input, 1-ch RCA audio input, 2-ch IP video input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: 12fps/ch, 260 1U case	36826
	DS-7216HGHI-K1(S) (Turbo HD 4.0)	HD1080P Lite	16 Turbo HD/AHD/Analog interface input, 16-ch HDTV/ coaxial video&audio input, 1-ch RCA audio input, 2-ch IP video input, HDMI & VGA Output, 1 SATA interface, HD1080P Lite: 15fps/ch, 260 1U case	63494
	DS-7224HGHI-K2 (Turbo HD 4.0)	HD1080P Lite	24 Turbo HD/AHD/Analog interface input, 24-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 2 SATA interface, HD1080P Lite: 15fps/ch, 380 1U case	125717
	DS-7232HGHI-K2 (Turbo HD 4.0)	HD1080P Lite	32 Turbo HD/AHD/Analog interface input, 32-ch video&1-ch audio input, 2-ch IP video input, HDMI & VGA Output, 2 SATA interface, HD1080P Lite: 15fps/ch, 380 1U case	139686
	iDS-7204HQHI-M1/S (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch face detection or 2-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 4-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01: 3MP @ 15fps, CH01-04:1920x1080P @ 15 fps, 4MP Lite@15fps/ch, support CVBS output, standalone 1U case	46986
	iDS-7208HQHI-M1/S (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch face detection or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01 & 02: 3MP @ 15fps, CH01-08:1920x1080P @ 15 fps, 4MP Lite@15fps/ch, support CVBS output, standalone 1U case	72383
	iDS-7216HQHI-M1/S (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch face detection or 4-ch false alarm filter, 16 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface, CH01-04: 3MP @ 15fps, CH01-16:1920x1080P @ 15 fps, 4MP Lite@15fps/ch, 4K UHD output, support CVBS output, standalone 1U case	124448

	iDS-7208HQHI-M2/S (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch face detection or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01 & 02: 3MP @ 15fps, CH01- 08:1920x1080P @15 fps, 4MP Lite@15fps/ch, support CVBS output, 380 1U case	83812
	iDS-7216HQHI-M2/S (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch face detection or 4-ch false alarm filter, 16 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH01-16:1920x1080P @15 fps, 4MP Lite@15fps/ch, 4K UHD output, support CVBS output, 380 1U case	135876
	DS-7224HQHI-K2 (Turbo HD 4.0)	1080P/4MP Lite	24 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 24-ch video&1-ch audio input, 8-ch IP video input(up to 32-ch IP), H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH01-24:1920x1080P @15 fps, 4MP Lite @15 fps/ch, 4K UHD output, support CVBS output, 380 1U case	177148
	DS-7232HQHI-K2 (Turbo HD 4.0)	1080P/4MP Lite	32 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 32-ch video&1-ch audio input, 8-ch IP video input(up to 40-ch IP), H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH01-32:1920x1080P @15 fps, 4MP Lite @15 fps/ch, 4K UHD output, support CVBS output, 380 1U case	187963
	iDS-7204HUHI-M1/S (Turbo HD X) 2nd Gen AcuSense	8MP/5MP/4MP	1-ch face detection or 4-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 4-ch video&1-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case	56874
	iDS-7208HUHI-M1/S (Turbo HD X) 2nd Gen AcuSense	8MP/5MP/4MP	1-ch face detection or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 8-ch video&1-ch audio input, 1 SATA interface, H.265/H.265+ compression, 8MP: 8fps, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, standalone 1U case	92863
	iDS-7204HUHI-M2/S (Turbo HD X) 2nd Gen AcuSense	8MP/5MP/4MP	1-ch face detection or 4-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 4-ch video&1-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, support CVBS output, 380 1U case	66757
	iDS-7208HUHI-M2/S (Turbo HD X) 2nd Gen AcuSense	8MP/5MP/4MP	1-ch face detection or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 8-ch video&1-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 8MP: 8fps, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, 380 1U case	103305
	DS-7216HUHI-K2(S) (Turbo HD 4.0)	8MP/5MP/4MP	16 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 16-ch HDTV coaxial video&audio input, 16-ch IP video input(up to 32-ch IP), 2 SATA interfaces, H.265/H.265+ compression, 8MP: 8fps, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, alarm I/O: 16/4, support CVBS output, 380 1U case	187031
	DS-7204HTHI-K1(S) (Turbo HD 4.0)	8MP(Turbo HD), 8MP(IP Video)	4 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 4-ch HDTV coaxial video&audio input, 4-ch IP video input(up to 8-ch IP), H.265+/H.265 compression, 1 SATA interfaces, 8 MP@12fps, 5 MP@20fps, 3 MP@18fps, 4 MP/1080p/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N), Extended transmission distance over coax cable, 4K UHD output, alarm I/O: 4/1, standalone 1U case	101590
	DS-7204HTHI-K2(S) (Turbo HD 4.0)	8MP(Turbo HD), 8MP(IP Video)	4 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 4-ch HDTV coaxial video&audio input, 4-ch IP video input(up to 8-ch IP), H.265+/H.265 compression, 2 SATA interfaces, 8 MP@12fps, 5 MP@20fps, 3 MP@18fps, 4 MP/1080p/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N), Extended transmission distance over coax cable, 4K UHD output, alarm I/O: 4/1, 380 1U case	114289
	DS-7208HTHI-K2(S) (Turbo HD 4.0)	8MP(Turbo HD), 8MP(IP Video)	8 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 8-ch HDTV coaxial video&audio input, 8-ch IP video input(up to 16-ch IP), H.265+/H.265 compression, 2 SATA interfaces, 8 MP@12fps, 5 MP@20fps, 3 MP@18fps, 4 MP/1080p/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N), Extended transmission distance over coax cable, 4K UHD output, alarm I/O: 8/4, 380 1U case	196829
DS-7300 series 1.5U Turbo HD DVR				

	DS-7304HQHI-K4 (Turbo HD 4.0)	1080P/4MP Lite	4 Turbo HD/CVI / AHD / CVBS interface input, 4-ch video&4-ch audio input, 2-ch IP video input(up to 6-ch IP), H.264/H.264+/H.265+/H.265 video compression, 4 SATA interface,CH01: 3MP @ 15fps, CH01-04:1920x1080P @15 fps, 4MP Lite @ 15fps/ch,Extended transmission distance over coax cable, 4K UHD output, 1.5U 19" case	177782
	DS-7308HQHI-K4 (Turbo HD 4.0)	1080P/4MP Lite	8 Turbo HD/CVI / AHD / CVBS interface input, 8-ch video&4-ch audio input, 4-ch IP video input(up to 12-ch IP), H.264/H.264+/H.265+/H.265 video compression, 4 SATA interface,CH01-02: 3MP @ 15fps, CH01-08:1920x1080P @15 fps, 4MP Lite @ 15fps/ch,Extended transmission distance over coax cable, 4K UHD output, 1.5U 19" case	234926
	DS-7316HQHI-K4 (Turbo HD 4.0)	1080P/4MP Lite	16 Turbo HD/CVI / AHD / CVBS interface input, 16-ch video&4-ch audio input, 8- ch IP video input(up to 24-ch IP), H.264/H.264+/H.265+/H.265 video compression, 4 SATA interface,CH01-04: 3MP @ 15fps, CH01-16:1920x1080P @15 fps, 4MP Lite @ 15fps/ch,Extended transmission distance over coax cable, 4K UHD output, 1.5U 19" case	298419
	DS-7324HQHI-K4 (Turbo HD 4.0)	1080P/4MP Lite	24 Turbo HD/CVI / AHD / CVBS interface input, 24-ch video&4-ch audio input, 16- ch IP video input(up to 40-ch IP), H.264/H.264+/H.265+/H.265 video compression, 4 SATA interface,CH01-04: 3MP @ 15fps, CH01-24:1920x1080P @15 fps, 4MP Lite @ 15fps/ch,Extended transmission distance over coax cable, 4K UHD output, 1.5U 19" case	361913
	DS-7332HQHI-K4 (Turbo HD 4.0)	1080P/4MP Lite	32 Turbo HD/CVI / AHD / CVBS interface input, 32-ch video&4-ch audio input, 16- ch IP video input(up to 48-ch IP), H.264/H.264+/H.265+/H.265 video compression, 4 SATA interface,CH01-04: 3MP @ 15fps, CH01-32:1920x1080P @15 fps,4MP Lite @ 15fps/ch,Extended transmission distance over coax cable, 4K UHD output, 1.5U 19" case	405088
	DS-7304HUHI-K4 (Turbo HD 4.0)	8MP/5MP/4MP	4 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 4-ch video&4-ch audio input,4-ch IP video input(up to 8-ch IP),H.264/H.264+/H.265+/H.265 video compression,4 SATA interfaces, 8MP: 8 fps/ch,5MP: 12 fps/ch, 4MP: 15 fps/ch,Extended transmission distance over coax cable, 4K UHD output,alarm I/O: 16/4, 1.5U 19" case	234926
	DS-7308HUHI-K4 (Turbo HD 4.0)	8MP/5MP/4MP	8 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 8-ch video&4-ch audio input,8-ch IP video input(up to 16-ch IP),H.264/H.264+/H.265+/H.265 video compression,4 SATA interfaces, 8MP: 8 fps/ch, 5MP: 12 fps/ch, 4MP: 15 fps/ch,Extended transmission distance over coax cable, 4K UHD output, alarm I/O: 16/4, 1.5U 19" case	317468
	DS-7316HUHI-K4 (Turbo HD 4.0)	8MP/5MP/4MP	16 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 16-ch video&4-ch audio input,16-ch IP video input(up to 32-ch IP),H.264/H.264+/H.265+/H.265 video compression,4 SATA interfaces, 8MP: 8 fps/ch,5MP: 12 fps/ch, 4MP: 15 fps/ch,Extended transmission distance over coax cable, 4K UHD output,alarm I/O: 16/4, 1.5U 19" case	412708
	DS-7324HUHI-K4 (Turbo HD 4.0)	8MP/5MP/4MP	24 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 24-ch video&4-ch audio input,16-ch IP video input(up to 40-ch IP),H.264/H.264+/H.265+/H.265 video compression,4 SATA interfaces, 8MP: 8fps/ch, 5MP: 12 fps/ch, 4MP: 15 fps/ch,Extended transmission distance over coax cable, 4K UHD output,alarm I/O: 16/4, 1.5U 19" case	570171
	DS-7332HUHI-K4 (Turbo HD 4.0)	8MP/5MP/4MP	32Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 32-ch video&4-ch audio input,16-ch IP video input(up to 48-ch IP),H.264/H.264+/H.265+/H.265 video compression,4 SATA interfaces, 8MP: 8fps/ch, 5MP: 12 fps/ch, 4MP: 15 fps/ch,Extended transmission distance over coax cable, 4K UHD output,alarm I/O: 16/4, 1.5U 19" case	633665
Appearance	Model	Recording resolution	Description	
iDS-7200 series 1U Turbo AcuSense DVR				
	iDS-7204HQHI-M1/FA (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch facial recognition or 2-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 4-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface,CH01: 3MP @ 15fps, CH01-04:1920x1080P @15 fps, 4MP Lite@15fps/ch, support CVBS output, standalone 1U case	52064

	iDS-7208HQHI-M1/FA (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch facial recognition or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface,CH01 & 02: 3MP @ 15fps, CH01-08:1920x1080P @15 fps, 4MP Lite@15fps/ch, support CVBS output, standalone 1U case	78731
	iDS-7216HQHI-M1/FA (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch facial recognition or 4-ch false alarm filter, 16 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 1 SATA interface,CH01-04: 3MP @ 15fps, CH01-16:1920x1080P @15 fps, 4MP Lite@15fps/ch, 4K UHD output, support CVBS output, standalone 1U case	135876
	iDS-7208HQHI-M2/FA (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch face recognition or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 8-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01 & 02: 3MP @ 15fps, CH01- 08:1920x1080P @15 fps, 4MP Lite@15fps/ch, support CVBS output, 380 1U case	90161
	iDS-7216HQHI-M2/FA (Turbo HD X) 2nd Gen AcuSense	1080P/4MP Lite	1-ch face recognition or 4-ch false alarm filter, 16 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 16-ch video&1-ch audio input, H.265/H.265+ compression, 2 SATA interfaces, CH01-04: 3MP @ 15fps, CH01-16:1920x1080P @15 fps, 4MP Lite@15fps/ch, 4K UHD output, support CVBS output, 380 1U case	147304
	iDS-7204HUHI-M1/FA (Turbo HD X) 2nd Gen AcuSense	8MP/5MP/4MP	1-ch facial recognition or 4-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 4-ch video&1-ch audio input, 1 SATA interface, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case	76192
	iDS-7208HUHI-M1/FA (Turbo HD X) 2nd Gen AcuSense	8MP/5MP/4MP	1-ch facial recognition or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self-adaptive interfaces input, 8-ch video&1-ch audio input, 1 SATA interface, H.265/H.265+ compression, 8MP: 8fps, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, standalone 1U case	126987
	iDS-7204HUHI-M2/FA (Turbo HD X) 2nd Gen AcuSense	8MP/5MP/4MP	1-ch face detection or 4-ch false alarm filter, 4 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 4-ch video&1-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, support CVBS output, 380 1U case	87620
	iDS-7208HUHI-M2/FA (Turbo HD X) 2nd Gen AcuSense	8MP/5MP/4MP	1-ch face detection or 4-ch false alarm filter, 8 Turbo HD/CVI / AHD / CVBS self- adaptive interfaces input, 8-ch video&1-ch audio input, 2 SATA interfaces, H.265/H.265+ compression, 8MP: 8fps, 5MP: 12fps, 4MP: 15fps, 3MP: 18fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, 380 1U case	139686
STOCK AVAILABLE CONTACT : RIFAZ 0755008007				