





































MODEL	APPEARANCE	RESOLUTION	FORM FACTOR	IN DOOR/OUT DOOR	DESCRIPTION	RP
5MP EXIR Series						
DS-2CE16HOT-ITPF (C)		5MP	Bullet	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 25m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.4/2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	13977.96
DS-2CE16HOT-ITF (C)		5MP	Bullet	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.4/2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	19461.56
DS-2CE17HOT-IT1F (C)		5MP	Bullet	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.4/2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	21685.47
DS-2CE17HOT-IT3F (C)		5MP	Bullet	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	23909.38
DS-2CE17HOT-IT5F (C)		5MP	Bullet	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	26133.29
DS-2CE57HOT-VP1TF (C)		5MP	Dome	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 40m IR, Outdoor Vandal Proof Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	26133.29
DS-2CE76HOT-ITPF (C)		5MP	Turret	Indoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 20m IR, Indoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), 2.4/2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	13977.96
DS-2CE76HOT-ITMF (C)		5MP	Turret	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	19461.56








DS-2CE78HOT-IT1F (C)		5MP	Turret	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens,Support TVI/AHD/CVI/CVBS video signal output	21685.47
DS-2CE78HOT-IT3F (C)		5MP	Turret	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 40m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.8mm/3.6/6/8/12mm Lens,Support TVI/AHD/CVI/CVBS video signal output	23909.38
DS-2CE11HOT-PIRLO		5MP	Bullet	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, PIR Detection, Led Alarm,Alarm out,Smart IR DNR OSD Menu(Up the Coax) IP67 2.8/3.6mm	22240.67
DS-2CE71HOT-PIRLO		5MP	Turret	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 20m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, PIR Detection, Led Alarm,Alarm out,Smart IR,DNR,OSD Menu(Up the Coax), IP67, 2.8/3.6mm Lens	22240.67
DS-2CE12HOT-PIRLO		5MP	Bullet	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, PIR Detection, Led Alarm&Lighting,Alarm out,Smart IR, DNR,OSD Menu(Up the Coax), IP67, 2.8/3.6mm Lens	23909.38
HD1080P Starlight Value Series						
DS-2CE11D8T-PIRLO		HD1080p	Bullet	Outdoor	2M Smart FSI CMOS Sensor,EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, PIR Detection, Led Alarm,Alarm out,True WDR,Smart	24464.58
DS-2CE71D8T-PIRLO		HD1080P	Turret	Outdoor	2M Smart FSI CMOS Sensor,EXIR, 20m IR, Outdoor EXIR Turret, ICR, 0.005 Lux/F1.2, 12 VDC, PIR Detection, Led Alarm,Alarm out,True WDR,Smart	24464.58
DS-2CE12D8T-PIRLO		HD1080P	Bullet	Outdoor	2M Smart FSI CMOS Sensor,EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12 VDC, PIR Detection, Led Alarm&Lighting,Alarm out,True	27800.45
DS-2CE38D8T-PIR		HD1080P	Eyeball	Indoor	2M Smart FSI CMOS Sensor,,EXIR, 20m IR, ICR, 0.005 Lux/F1.2, 12 VDC, PIR Detection,Built-in microphone,True WDR,Smart IR, 3DNR, OSD Menu(Up the	21128.71
DS-2CE16D8T-ITPF		HD1080p	Bullet	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6mm Lens, Plastic housing,Support TVI/AHD/CVI/CVBS video signal output	20016.76
DS-2CE16D8T-ITF		HD1080p	Bullet	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6mm Lens,Support TVI/AHD/CVI/CVBS video signal output	21128.71
DS-2CE16D8T-IT1F		HD1080p	Bullet	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6mm Lens,Support TVI/AHD/CVI/CVBS video signal output	23352.62








DS-2CE16D8T-IT3F		HD1080p	Bullet	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 60m IR, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6/8/12mm Lens,Support TVI/AHD/CVI/CVBS video signal output	25576.54
DS-2CE16D8T-IT5F		HD1080p	Bullet	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, IP67, 3.6/6/8/12mm Lens,Support TVI/AHD/CVI/CVBS video signal output	27800.45
DS-2CE56D8T-VP1TF		HD1080p	Dome	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 30m IR, Outdoor EXIR Vandal Proof Dome, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6mm Lens,Support TVI/AHD/CVI/CVBS video signal output	24464.58
DS-2CE56D8T-IRS		HD1080p	Dome	Indoor	2M Smart FSI CMOS Sensor, 20m IR, Outdoor ICR, 0.005 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, built-in Mic ,OSD Menu(Up the Coax), True WDR, 2.8/3.6/6mm Lens	26688.49
DS-2CE56D8T-ITMF		HD1080p	Eyeball	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.003Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6mm Lens,Support TVI/AHD/CVI/CVBS video signal output	21128.71
DS-2CE56D8T-IT1F		HD1080p	Eyeball	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.003Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6mm Lens,Support TVI/AHD/CVI/CVBS video signal output	22240.67
DS-2CE56D8T-IT3F		HD1080p	Eyeball	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 60m IR, Outdoor EXIR Turret, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6/8/12mm Lens,Support TVI/AHD/CVI/CVBS video signal output	24464.58
DS-2CE16D8T-IT3ZF		HD1080p	Bullet	Outdoor	2M Smart FSI CMOS Sensor, EXIR,80m IR, Outdoor EXIR Auto-Focus Bullet, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR,Auto-Focus, IP67, 2.7~13.5mm Auto-Focus Lens,Support TVI/AHD/CVI/CVBS video signal output	42257.42
DS-2CE16D8T-AIT3ZF		HD1080p	Bullet	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 80m IR, Outdoor EXIR Auto-Focus Bullet, ICR, 0.003 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, 3D DNR, OSD Menu(Up the Coax),130dB True WDR,Auto-Focus, IP67, 2.7~13.5mm Auto-Focus Lens,Support TVI/AHD/CVI/CVBS video signal output	45593.29
DS-2CE56D8T-IT3ZF		HD1080p	Eyeball	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 60m IR, Outdoor EXIR Auto-Focus Turret, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR,Auto-Focus, IP67, 2.7~13.5mm Auto-Focus Lens,Support TVI/AHD/CVI/CVBS video signal output	41145.47

DS-2CE56D8T-ITZF		HD1080p	Dome	Indoor	2M Smart FSI CMOS Sensor, EXIR, 60m IR, Indoor EXIR Auto-Focus Dome, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, Auto-Focus, 2.7~13.5mm Auto-Focus Lens, Support TVI/AHD/CVI/CVBS video signal output	41145.47
DS-2CE56D8T-AITZF		HD1080p	Dome	Indoor	2M Smart FSI CMOS Sensor, EXIR, 60m IR, Indoor EXIR Auto-Focus Dome, ICR, 0.003 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, Auto-Focus, 2.7~13.5mm Auto-Focus Lens, Support TVI/AHD/CVI/CVBS video signal output	45593.29
DS-2CE56D8T-VPIT3ZF		HD1080p	Dome	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 60m IR, Outdoor EXIR Auto-Focus Dome, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, Auto-Focus, Vandal Proof, IP67, 2.7~13.5mm Auto-Focus Lens, Support Gang box Installation, Support TVI/AHD/CVI/CVBS video signal output	48929.16
DS-2CE56D8T-AVPIT3ZF		HD1080p	Dome	Outdoor	2M Smart FSI CMOS Sensor, EXIR, 60m IR, Outdoor EXIR Auto-Focus Dome, ICR, 0.003 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, 3D DNR, OSD Menu(Up the Coax), 130dB True WDR, Auto-Focus, IP67, Vandal Proof, 2.7~13.5mm Auto-Focus Lens, Support Gang box Installation, Support TVI/AHD/CVI/CVBS video signal output	53376.98
DS-2CC12D8T-AMM		HD1080P	Box	Indoor	2M Smart FSI CMOS Sensor, ICR, 0.005 Lux/F1.2, 12 VDC, Auto Iris, True WDR, 3DNR, OSD Menu(Up the Coax), TVI&CVBS Switchable	31136.31
HD1080p 4 in 1 Entry Level Series						
DS-2CE16D0T-IP/ECO					ECO series	8318.45
DS-2CE16D0T-ITPF (C)		HD1080p	Bullet	Outdoor	2MP CMOS Sensor, EXIR 25m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	11095.56
DS-2CE17D0T-IT1F (C)		HD1080p	Bullet	Outdoor	2MP CMOS Sensor, EXIR 30m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	15974.97
DS-2CE17D0T-IT3F (C)		HD1080p	Bullet	Outdoor	2MP CMOS Sensor, EXIR 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	17573.07
DS-2CE17D0T-IT5F (C)		HD1080p	Bullet	Outdoor	2MP CMOS Sensor, EXIR 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP67, 3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	19169.67








DS-2CE56DOT-1P/ECO					ECO series	7878.89
DS-2CE76DOT-ITPF (C)		HD1080p	Turret	Indoor	2MP CMOS Sensor,EXIR 20m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	10351.06
DS-2CE56DOT-IRMMF		HD1080p	Dome	Indoor	2MP CMOS Sensor, 12 pcs LEDs, 20m IR, Indoor IR Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, 3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	13345.02
DS-2CE56DOT-IT1F (C)		HD1080p	Turret	Outdoor	2MP CMOS Sensor,EXIR 30m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	16680.89
DS-2CE56DOT-IT3F (C)		HD1080p	Turret	Outdoor	2MP CMOS Sensor,EXIR 40m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	18349.60
DS-2CE16DOT-VFIR3F		HD1080p	Bullet	Outdoor	2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8~12mm Lens,Support TVI/AHD/CVI/CVBS video signal output	32248.27
DS-2CE56DOT-VFIR3F		HD1080p	Eyeball	Outdoor	2MP CMOS Sensor, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, IP66, 2.8~12mm Lens,Support TVI/AHD/CVI/CVBS video signal output	31136.31
DS-2CE56DOT-VFIRF		HD1080p	Dome	Indoor	2MP CMOS Sensor, 24 pcs IR LEDs, 30m IR, Indoor IR Vari-focal Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, 2.8~12mm Lens,Support TVI/AHD/CVI/CVBS video signal output	34473.74
DS-2CE56DOT-VP1R3F		HD1080p	Dome	Outdoor	2MP CMOS Sensor, 24 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Vandal Proof, 2.8~12mm Lens,Support TVI/AHD/CVI/CVBS video signal output	38921.56
1080P PIR Series						
DS-2CE11DOT-PIRLP0		HD1080p	Bullet	Outdoor	2M CMOS Sensor,EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, PIR Detection, Led Alarm,Alarm out,Smart IR,OSD	16125.69
DS-2CE71DOT-PIRLP0		HD1080P	Turret	Outdoor	2M CMOS Sensor,EXIR, 20m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, PIR Detection, Led Alarm,Alarm out,Smart IR,OSD	17237.65
HD720p 4 in 1 Entry Level Series						
DS-2CE16COT-IRPF		HD720p	Bullet	Outdoor	1MP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40° ~60°), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	7513.99








DS-2CE16COT-IRF		HD720p	Bullet	Outdoor	IMP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40° ~60°), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	8430.33
DS-2CE16COT-IT1F		HD720p	Bullet	Outdoor	IMP CMOS Sensor, 1 pcs EXIR LED, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40° ~60°), 2.8/3.6/6/8mm Lens, Support TVI/AHD/CVI/CVBS video signal output	12789.82
DS-2CE16COT-IT3F		HD720p	Bullet	Outdoor	IMP CMOS Sensor, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40° ~60°), 2.8/3.6/6/8/12/16mm Lens, Support TVI/AHD/CVI/CVBS video signal output	15013.73
DS-2CE16COT-IT5F		HD720p	Bullet	Outdoor	IMP CMOS Sensor, 2 pcs EXIR LEDs, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40° ~60°), 3.6/6/8/12/16mm Lens, Support TVI/AHD/CVI/CVBS video signal output	17237.65
DS-2CE56COT-IRMF		HD720p	Dome	Indoor	IMP CMOS Sensor, 12 pcs IR LEDs, 20m IR, Indoor IR Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, Wide operating temperature range (-40° ~60°), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	8785.23
DS-2CE56COT-IRPF		HD720p	Eyeball	Indoor	IMP CMOS Sensor, 12 pcs IR LEDs, 20m IR, Indoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, Wide operating temperature range (-40° ~60°), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	6597.65
DS-2CE56COT-IRF		HD720p	Eyeball	Outdoor	IMP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40° ~60°), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	7513.99
DS-2CE56COT-IRMF		HD720p	Eyeball	Outdoor	IMP CMOS Sensor, 24 pcs IR LEDs, 20m IR, Outdoor IR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40° ~60°), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	12233.07
DS-2CE56COT-IT1F		HD720p	Eyeball	Outdoor	IMP CMOS Sensor, 1 pcs EXIR LED, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40° ~60°), 2.8/3.6/6/8mm Lens, Support TVI/AHD/CVI/CVBS video signal output	14456.98
DS-2CE56COT-IT3F		HD720p	Eyeball	Outdoor	IMP CMOS Sensor, 1 pcs EXIR LED, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, IP66, Wide operating temperature range (-40° ~60°), 2.8/3.6/6/8/12/16mm Lens, Support TVI/AHD/CVI/CVBS video signal output	16680.89
Model	Appearance	Horizontal Resolution	Indoor/Outdoor	Material	Descriptions	
DS-2CE10HFT-F28 (2.8mm)		5MP	Outdoor	Metal	5M BSI CMOS Sensor, 5MP@20fps, 4MP@25fps (P)/30fps (N) (Default), Outdoor Bullet, 0.0005Lux/F1.0, 0 Lux with Friendly Lighting, 20m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), 130dB True WDR, IP67, 2.8mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	33361.78

DS-2CE10HFT-F		5MP	Outdoor	Metal	5M BSI CMOS Sensor, 5MP@20fps, 4MP@25fps (P)/30fps (N) (Default), Outdoor Bullet, 0.0005Lux/F1.0, 0 Lux with Friendly Lighting, 20m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), 130dB True WDR, IP67, 3.6/6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	30024.36
DS-2CE72HFT-F28 (2.8mm)		5MP	Outdoor	Enclosure : Plastic Main body: Metal Mounting base: Plastic	5M BSI CMOS Sensor, 5MP@20fps, 4MP@25fps (P)/30fps (N) (Default), Outdoor Turret, 0.0005Lux/F1.0, 0 Lux with Friendly Lighting, 20m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), 130dB True WDR, IP67, 2.8mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	35030.49
DS-2CE72HFT-F		5MP	Outdoor	Enclosure : Plastic Main body: Metal Mounting base: Plastic	5M BSI CMOS Sensor, 5MP@20fps, 4MP@25fps (P)/30fps (N) (Default), Outdoor Turret, 0.0005Lux/F1.0, 0 Lux with Friendly Lighting, 20m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), 130dB True WDR, IP67, 3.6/6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	32248.27
DS-2CE12HFT-F28 (2.8mm)		5MP	Outdoor	Front cover: Metal Main body: Plastic Bracket: Metal	5M BSI CMOS Sensor, 5MP@20fps, 4MP@25fps (P)/30fps (N) (Default), Outdoor Bullet, 0.0005Lux/F1.0, 0 Lux with Friendly Lighting, 40m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), 130dB True WDR, IP67, 2.8mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	38366.36
DS-2CE12HFT-F		5MP	Outdoor	Front cover: Metal Main body: Plastic Bracket: Metal	5M BSI CMOS Sensor, 5MP@20fps, 4MP@25fps (P)/30fps (N) (Default), Outdoor Bullet, 0.0005Lux/F1.0, 0 Lux with Friendly Lighting, 40m, 3D DNR, 12 VDC, OSD Menu (Up the Coax), 130dB True WDR, IP67, 3.6/6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	35030.49
3K ColorVu2.0 KF0T-S Series						
DS-2CE10KF0T-FS		3K	Outdoor	Metal	3K (5MP 16:9) CMOS Sensor, 3K @ 20 fps (Default), Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white Light, 20m, 2D DNR, Built-in Mic, Audio up Coaxial (Only TVI), 12 VDC, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	25576.54
DS-2CE10KF0T-PFS		3K	Outdoor	Plastic	3K (5MP 16:9) CMOS Sensor, 3K @ 20 fps (Default), Outdoor Bullet, 0.001Lux/F1.0, 0 Lux with white Light, 20m, 2D DNR, Built-in Mic, Audio up Coaxial (Only TVI), 12 VDC, OSD Menu (Up the Coax), IP67, 2.8/3.6mm Lens, 24H Color, Support TVI/AHD/CVI/CVBS video signal output	24464.58




DS-2CE12KF0T-FS		3K	Outdoor	Outdoor	3K (5MP 16:9) CMOS Sensor, 3K @ 20 fps(Default) ,Outdoor Bullet, 0.001Lux/F1.0 ,0 Lux with white Light, 40m ,2D DNR, Built-in Mic,Audio up Coaxial(Only TVI) ,12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, 24H Color , Support TVI/AHD/CVI/CVBS video signal output	31136.31
DS-2CE70KF0T-MFS		3K	Outdoor	Metal	3K (5MP 16:9) CMOS Sensor, 3K @ 20 fps(Default) ,Outdoor Turret, 0.001Lux/F1.0 ,0 Lux with white Light, 20m ,2D DNR, Built-in Mic,Audio up Coaxial(Only TVI) ,12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6mm Lens, 24H Color , Support TVI/AHD/CVI/CVBS video signal output	25576.54
DS-2CE70KF0T-PFS		3K	Indoor	Plastic	3K (5MP 16:9) CMOS Sensor, 3K @ 20 fps(Default) ,Indoor Turret, 0.001Lux/F1.0 ,0 Lux with white Light, 20m ,2D DNR, Built-in Mic,Audio up Coaxial(Only TVI) ,12 VDC,OSD Menu(Up the Coax), 2.8/3.6mm Lens, 24H Color , Support TVI/AHD/CVI/CVBS video signal output	24464.58
DS-2CE72KF0T-FS		3K	Outdoor	Enclosure : Plastic Main body: Metal Mounting base: Plastic	3K (5MP 16:9) CMOS Sensor, 3K @ 20 fps(Default) ,Outdoor Turret, 0.001Lux/F1.0 ,0 Lux with white Light, 40m ,2D DNR, Built-in Mic,Audio up Coaxial(Only TVI) ,12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6mm Lens, 24H Color , Support TVI/AHD/CVI/CVBS video signal output	28912.40
ColorVu 2.0 1080P ColorVu Series, Turbo HD 5.0						
DS-2CE10DF0T-F		HD1080p	Outdoor	Metal	2M CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0 ,0 Lux with white Light, 20m,3D DNR ,12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, 24H Color , Support TVI/AHD/CVI/CVBS video signal output	19461.56
DS-2CE10DF0T-PF		HD1080p	Outdoor	Plastic	2M CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0 ,0 Lux with white Light, 20m,3D DNR ,12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, 24H Color , Support TVI/AHD/CVI/CVBS video signal output	17792.85
DS-2CE12DF0T-F		HD1080p	Outdoor	Metal	2M CMOS Sensor, Outdoor Bullet, 0.001Lux/F1.0 ,0 Lux with white Light, 40m,3D DNR ,12 VDC,OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, 24H Color , Support TVI/AHD/CVI/CVBS video signal output	21201.60








DS-2CE10DF3T-F		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor mini Bullet, 0.0005Lux/F1.0 , 0 Lux with Friendly Lighting, 20M,3D DNR ,DC 12V,OSD Menu(Up the Coax), 130dB True WDR , IP67, 2.8/3.6/6mm Lens, 24H Color ,Support TVI/AHD/CVI/CVBS video signal output	19750.82
DS-2CE10DF3T-PF		HD1080p	Outdoor	Plastic	2M BSI CMOS Sensor,Outdoor mini Bullet, 0.0005Lux/F1.0 , 0 Lux with Friendly Lighting, 20M,3D DNR ,DC 12V,OSD Menu(Up the Coax), 130dB True WDR , IP67, 2.8/3.6/6mm Lens, 24H Color ,Support TVI/AHD/CVI/CVBS video signal output	19133.37
DS-2CE12DF3T-F		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor Bullet, 0.0005Lux/F1.0 , 0 Lux with Friendly Lighting, 40M,3D DNR ,DC 12V,OSD Menu(Up the Coax), 130dB True WDR , IP67, 2.8/3.6/6mm Lens, 24H Color ,Support TVI/AHD/CVI/CVBS video signal output	25021.33
DS-2CE72DF3T-F		HD1080P	Outdoor	Enclosure : Plastic Main body: Metal Mounting base: Plastic	2M BSI CMOS Sensor,Outdoor Turret, 0.0005Lux/F1.0 , 0 Lux with Friendly Lighting, 40M,3D DNR ,DC 12V,OSD Menu(Up the Coax), 130dB True WDR , IP67, 2.8/3.6/6mm Lens, 24H Color ,Support TVI/AHD/CVI/CVBS video signal output	20541.86
DS-2CE10DF8T-F		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor mini Bullet, 0.0003Lux/F1.0 , 0 Lux with Friendly Lighting, 20M,3D DNR ,DC 12V,OSD Menu(Up the Coax), 130dB True WDR , IP68 , 2.8/3.6/6mm Lens, 24H Color ,Support TVI/AHD/CVI/CVBS video signal output	25021.33
DS-2CE12DF8T-F		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor Bullet, 0.0003Lux/F1.0 , 0 Lux with Friendly Lighting, 40M,3D DNR ,DC 12V,OSD Menu(Up the Coax), 130dB True WDR , IP68 , 2.8/3.6/6mm Lens, 24H Color ,Support TVI/AHD/CVI/CVBS video signal output	29134.79
DS-2CE72DF8T-F		HD1080P	Outdoor	Enclosure : Plastic Main body: Metal Mounting base: Plastic	2M BSI CMOS Sensor,Outdoor Turret, 0.0003Lux/F1.0 , 0 Lux with Friendly Lighting, 40M,3D DNR ,DC 12V,OSD Menu(Up the Coax), 130dB True WDR , IP68 , 2.8/3.6/6mm Lens, 24H Color ,Support TVI/AHD/CVI/CVBS video signal output	26133.29
DS-2CE10DF3T-FS		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor mini Bullet, 0.0005Lux/F1.0 , 0 Lux with Friendly Lighting, 20M,3D DNR ,DC 12V, Built-in Mic , Audio up Coaxial(Only TVI) ,OSD Menu(Up the Coax), 130dB True WDR , IP67, 2.8/3.6mm Lens, 24H Color ,Support TVI/AHD/CVI/CVBS video signal output	23909.38

DS-2CE10DF3T-PFS		HD1080p	Outdoor	Plastic	2M BSI CMOS Sensor,Outdoor mini Bullet,0.0005Lux/F1.0, 0 Lux with Friendly Lighting,20M,3D DNR,DC 12V,Built-in Mic,Audio up Coaxial(Only TVI),OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6mm Lens,24H Color,Support TVI/AHD/CVI/CVBS video signal output	22797.42
DS-2CE12DF3T-FS		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor Bullet,0.0005Lux/F1.0, 0 Lux with Friendly Lighting,40M,3D DNR,DC 12V,Built-in Mic,Audio up Coaxial(Only TVI),OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6mm Lens,24H Color,Support TVI/AHD/CVI/CVBS video signal output	27245.25
DS-2CE72DF3T-FS		HD1080P	Outdoor	Enclosure : Plastic Main body: Metal Mounting base: Plastic	2M BSI CMOS Sensor,Outdoor Turret,0.0005Lux/F1.0, 0 Lux with Friendly Lighting,40M,3D DNR,DC 12V,Built-in Mic,Audio up Coaxial(Only TVI),OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6mm Lens,24H Color,Support TVI/AHD/CVI/CVBS video signal output	25021.33
DS-2CE10DF8T-FSLN		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor mini Bullet,0.0003Lux/F1.0, 0 Lux with Friendly Lighting,20M,3D DNR,DC 12V,Built-in Mic,Audio up Coaxial(Only TVI),Support Line in,OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6mm Lens,24H Color,Support TVI/AHD/CVI/CVBS video signal output	28912.40
DS-2CE12DF8T-FSLN		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor Bullet,0.0003Lux/F1.0, 0 Lux with Friendly Lighting,40M,3D DNR,DC 12V,Built-in Mic,Audio up Coaxial(Only TVI),Support Line in,OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6mm Lens,24H Color,Support TVI/AHD/CVI/CVBS video signal output	33361.78
DS-2CE72DF8T-FSLN		HD1080P	Outdoor	Enclosure : Plastic Main body: Metal Mounting base: Plastic	2M BSI CMOS Sensor,Outdoor Turret,0.0003Lux/F1.0, 0 Lux with Friendly Lighting,40M,3D DNR,DC 12V,Built-in Mic,Audio up Coaxial(Only TVI),Support Line in,OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6mm Lens,24H Color,Support TVI/AHD/CVI/CVBS video signal output	30024.36
DS-2CE19DF8T-AZE		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor Auto-Focus Bullet,0.0003Lux/F1.0, 0 Lux with Friendly Lighting,40M,3D DNR,DC 12V/AC 24V/PoC,OSD Menu(Up the Coax), 130dB True WDR, IP68,2.8-12mm Auto-Focus Lens,24H Color	110091.38

DS-2CE79DF8T-AZE		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor Auto-Focus Dome, 0.0003Lux/F1.0 , 0 Lux with Friendly Lighting, 40M,3D DNR,DC 12V/AC 24V/PoC ,OSD Menu(Up the Coax), 130dB True WDR, IP68,,Vandal Proof , Built-in Junction Box,2.8-12mm Auto-Focus Lens,24H Color	98970.27
DS-2CE59DF8T-APZPE		HD1080p	Outdoor	Metal	2M BSI CMOS Sensor,Outdoor Auto-Focus Turret, 0.0003Lux/F1.0 , 0 Lux with Friendly Lighting, 40M,3D DNR,DC 12V/AC 24V/PoC ,OSD Menu(Up the Coax), 130dB True WDR, IP68,2.8-12mm Auto-Focus Lens,24H Color	121210.94
DS-2CE12DF3T-PIRXOS		HD1080p	Bullet	Outdoor	2M BSI CMOS Sensor,Outdoor Bullet, 0.0005Lux/F1.0,0 Lux with Friendly Lighting , 40m, 3D DNR, 12 VDC, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6/6mm Lens, 24H Color, PIR Detection, Blue&Red Light Alarm, Built in Siren&User-define Voice, Line Out . Built-in Dual Mic,Audio up Coaxial.	37809.60
DS-2CE72DF3T-PIRXOS		HD1080P	Turret	Outdoor	2M BSI CMOS Sensor,Outdoor Turret, 0.0005Lux/F1.0,0 Lux with Friendly Lighting ,20m, 3D DNR, 12 VDC, OSD Menu(Up the Coax), 130dB True WDR, IP67, 2.8/3.6mm Lens, 24H Color, PIR Detection, Blue&Red Light Alarm, Built in Siren&User-define Voice, Line Out . Built-in Dual Mic,Audio up Coaxial.	34473.74
Model	Appearance	Horizontal Resolution	Form Factor	Indoor/Outdoor	Descriptions	
5MP Audio Series						
DS-2CE16HOT-ITPFS		5MP	Bullet	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default) , EXIR, 25m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic,Audio up Coaxial(Only TVI) ,OSD Menu(Up the Coax), IP67,2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	15364.85
DS-2CE16HOT-ITFS		5MP	Bullet	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default) , EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic,Audio up Coaxial(Only TVI) ,OSD Menu(Up the Coax), IP67,2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	18650.66
DS-2CE76HOT-ITPFS		5MP	Turret	Indoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default) , EXIR, 20m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic,Audio up Coaxial(Only TVI) ,OSD Menu(Up the Coax), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	15364.85




DS-2CE76HOT-ITMFS		5MP	Turret	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic, Audio up Coaxial(Only TVI), OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	18650.66
DS-2CE78HOT-IT3FS		5MP	Turret	Outdoor	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 40m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic, Audio up Coaxial(Only TVI), OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	25021.33
HD1080P Audio Series						
DS-2CE16DOT-ITPFS		2MP	Bullet	Outdoor	2MP CMOS Sensor, 1080P@25fps(P) (Default)/30fps(N), EXIR, 25m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic, Audio up Coaxial(Only TVI), OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	12232.83
DS-2CE16DOT-ITFS		2MP	Bullet	Outdoor	2MP CMOS Sensor, 1080P@25fps(P) (Default)/30fps(N), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic, Audio up Coaxial(Only TVI), OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	13173.71
DS-2CE76DOT-ITPFS		2MP	Turret	Indoor	2MP CMOS Sensor, 1080P@25fps(P) (Default)/30fps(N), EXIR, 20m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic, Audio up Coaxial(Only TVI), OSD Menu(Up the Coax), 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	11291.94
DS-2CE76DOT-ITMFS		2MP	Turret	Outdoor	2MP CMOS Sensor, 1080P@25fps(P) (Default)/30fps(N), EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic, Audio up Coaxial(Only TVI), OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	13173.71
DS-2CE78DOT-IT3FS		2MP	Turret	Outdoor	2MP CMOS Sensor, 1080P@25fps(P) (Default)/30fps(N), EXIR, 40m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, Built-in Mic, Audio up Coaxial(Only TVI), OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	19683.14
Model	Appearance	Horizontal Resolution	Form Factor	Material	Descriptions	#VALUE!








5MP Ultra Low Light Series						
DS-2CE16H8T-ITF		5MP	Bullet	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	30024.36
DS-2CE16H8T-IT1F		5MP	Bullet	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	33361.78
DS-2CE16H8T-IT3F		5MP	Bullet	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 60m IR, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	35585.69
DS-2CE16H8T-IT5F		5MP	Bullet	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.003 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu(Up the Coax), IP67, 3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	37809.60
DS-2CE57H8T-VP1TF		5MP	Dome	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor Vandal Proof Dome, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, True WDR, 3D DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	35585.69
DS-2CE76H8T-ITMF		5MP	Turret	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, True WDR, 3D DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	30024.36
DS-2CE78H8T-IT1F		5MP	Turret	Enclosure : Plastic Main body: Metal Mounting base: Plastic	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, True WDR, 3D DNR, OSD Menu(Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	32248.27








DS-2CE78H8T-IT3F		5MP	Turret	Enclosure : Plastic Main body: Metal Mounting base: Plastic	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 60m IR, Outdoor EXIR Turret, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	34473.74
DS-2CE19H8T-IT3ZF		5MP	Bullet	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 80m IR, Auto Focus, Outdoor Bullet, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	57826.36
DS-2CE19H8T-AIT3ZF		5MP	Bullet	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 80m IR, Auto Focus, Outdoor Bullet, ICR, 0.003 Lux/F1.2, 12 VDC/AC24V, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	62274.18
DS-2CE79H8T-IT3ZF		5MP	Turret	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 60m IR, Auto Focus, Outdoor Turret, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	57826.36
DS-2CE56H8T-ITZF		5MP	Dome	Plastic	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 60m IR, Auto Focus, Indoor Dome, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	57826.36
DS-2CE56H8T-AITZF		5MP	Dome	Plastic	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 60m IR, Auto Focus, Indoor Dome, ICR, 0.003 Lux/F1.2, 12 VDC/AC24V, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	62274.18
DS-2CE59H8T-VP1T3ZF		5MP	Dome	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 60m IR, Auto Focus, Outdoor Vandal Proof Dome, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	66722.00
DS-2CE59H8T-AVP1T3ZF		5MP	Dome	Metal	5MP@20fps, 4MP@25fps(P)/30fps(N) (Default), EXIR, 60m IR, Auto Focus, Outdoor Vandal Proof Dome, ICR, 0.003 Lux/F1.2, 12 VDC/AC24V, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	71169.83

DS-2CE5AH8T-VP1T3ZF		5MP	Dome	Metal	5MP@20fps, 4MP@25fps (P)/30fps (N) (Default), EXIR, 60m IR, Auto Focus, Outdoor Vandal Proof Dome, ICR, 0.003 Lux/F1.2, 12 VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	61162.23
DS-2CE5AH8T-AVP1T3ZF		5MP	Dome	Metal	5MP@20fps, 4MP@25fps (P)/30fps (N) (Default), EXIR, 60m IR, Auto Focus, Outdoor Vandal Proof Dome, ICR, 0.003 Lux/F1.2, 12 VDC/AC24V, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	65610.05
4K Eco Series						
DS-2CE16U1T-ITPF		8.3MP	Bullet	Plastic	8.3MP @12.5fps (Default), 5MP@20fps, 4MP@25fps (P)/30fps (N), 2MP@25fps (P)/30fps (N), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	30024.36
DS-2CE16U1T-ITF		8.3MP	Bullet	Metal	8.3MP @12.5fps (Default), 5MP@20fps, 4MP@25fps (P)/30fps (N), 2MP@25fps (P)/30fps (N), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	32248.27
DS-2CE16U1T-IT1F		8.3MP	Bullet	Metal	8.3MP @12.5fps (Default), 5MP@20fps, 4MP@25fps (P)/30fps (N), 2MP@25fps (P)/30fps (N), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	35585.69
DS-2CE16U1T-IT3F		8.3MP	Bullet	Metal	8.3MP @12.5fps (Default), 5MP@20fps, 4MP@25fps (P)/30fps (N), 2MP@25fps (P)/30fps (N), EXIR, 60m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	38921.56
DS-2CE16U1T-IT5F		8.3MP	Bullet	Metal	8.3MP @12.5fps (Default), 5MP@20fps, 4MP@25fps (P)/30fps (N), 2MP@25fps (P)/30fps (N), EXIR, 80m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	40033.51

DS-2CE57U1T-VP1TF		8. 3MP	Dome	Metal	8. 3MP @12. 5fps (Default), 5MP@20fps, 4MP@25fps (P) /30fps (N) , 2MP@25fps (P) /30fps (N), EXIR, 30m IR, Outdoor Vandal Proof Dome, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	38921.56
DS-2CE76U1T-ITPF		8. 3MP	Turret	Plastic	8. 3MP @12. 5fps (Default), 5MP@20fps, 4MP@25fps (P) /30fps (N) , 2MP@25fps (P) /30fps (N), EXIR, 30m IR, Indoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	28912.40
DS-2CE76U1T-ITMF		8. 3MP	Turret	Metal	8. 3MP @12. 5fps (Default), 5MP@20fps, 4MP@25fps (P) /30fps (N) , 2MP@25fps (P) /30fps (N), EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	32248.27
DS-2CE78U1T-IT1F		8. 3MP	Turret	Enclosure : Plastic Main body: Metal Mounting base: Plastic	8. 3MP @12. 5fps (Default), 5MP@20fps, 4MP@25fps (P) /30fps (N) , 2MP@25fps (P) /30fps (N), EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	32248.27
DS-2CE78U1T-IT3F		8. 3MP	Turret	Enclosure : Plastic Main body: Metal Mounting base: Plastic	8. 3MP @12. 5fps (Default), 5MP@20fps, 4MP@25fps (P) /30fps (N) , 2MP@25fps (P) /30fps (N), EXIR, 60m IR, Outdoor EXIR Turret, ICR, 0.01 Lux/F1.2, 12VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	34473.74
DS-2CE19U1T-IT3ZF		8. 3MP	Bullet	Front cover: Metal Main body: Plastic Bracket: Metal	8. 3MP @12. 5fps (Default), 5MP@20fps, 4MP@25fps (P) /30fps (N) , 2MP@25fps (P) /30fps (N), EXIR, 80m IR, Auto Focus , Outdoor Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	65610.05
DS-2CE19U1T-AIT3ZF		8. 3MP	Bullet	Front cover: Metal Main body: Plastic Bracket: Metal	8. 3MP @12. 5fps (Default), 5MP@20fps, 4MP@25fps (P) /30fps (N) , 2MP@25fps (P) /30fps (N), EXIR, 80m IR, Auto Focus , Outdoor Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/AC24V, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.7- 13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	68945.92

DS-2CE79U1T-IT3ZF		8.3MP	Turret	Metal	8.3MP @12.5fps(Default), 5MP@20fps, 4MP@25fps(P)/30fps(N) , 2MP@25fps(P)/30fps(N), EXIR, 60m IR, Auto Focus , Outdoor Turret, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	65610.05
DS-2CE56U1T-ITZF		8.3MP	Dome	Plastic	8.3MP @12.5fps(Default), 5MP@20fps, 4MP@25fps(P)/30fps(N) , 2MP@25fps(P)/30fps(N), EXIR, 60m IR, Auto Focus , Indoor Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	65610.05
DS-2CE56U1T-AITZF		8.3MP	Dome	Plastic	8.3MP @12.5fps(Default), 5MP@20fps, 4MP@25fps(P)/30fps(N) , 2MP@25fps(P)/30fps(N), EXIR, 60m IR, Auto Focus , Indoor Dome, ICR, 0.01 Lux/F1.2, 12 VDC/AC24V, Smart IR, DNR, OSD Menu(Up the Coax), 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	68945.92
DS-2CE59U1T-VP1T3ZF		8.3MP	Dome	Metal	8.3MP @12.5fps(Default), 5MP@20fps, 4MP@25fps(P)/30fps(N) , 2MP@25fps(P)/30fps(N), EXIR, 60m IR, Auto Focus , Outdoor Vandal Proof Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output, Support Gang box Installation	73393.74
DS-2CE59U1T-AVP1T3ZF		8.3MP	Dome	Metal	8.3MP @12.5fps(Default), 5MP@20fps, 4MP@25fps(P)/30fps(N) , 2MP@25fps(P)/30fps(N), EXIR, 60m IR, Auto Focus , Outdoor Vandal Proof Dome, ICR, 0.01 Lux/F1.2, 12 VDC/AC24V, Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support Gang box Installation	76729.61
DS-2CE5AU1T-VP1T3ZF		8.3MP	Dome	Metal	8.3MP @12.5fps(Default), 5MP@20fps, 4MP@25fps(P)/30fps(N) , 2MP@25fps(P)/30fps(N), EXIR, 60m IR, Auto Focus , Outdoor Vandal Proof Dome, ICR, 0.01 Lux/F1.2, 12 VDC Smart IR, DNR, OSD Menu(Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output.	65610.05

DS-2CE5AU1T-AVPIT3ZF		8.3MP	Dome	Metal	8.3MP @12.5fps (Default), 5MP@20fps, 4MP@25fps (P)/30fps (N) , 2MP@25fps (P)/30fps (N), EXIR, 60m IR, Auto Focus , Outdoor Vandal Proof Dome, ICR, 0.01 Lux/F1.2, 12 VDC/AC24V, Smart IR, DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	68945.92
2MP Ultra Low Light Series						
DS-2CE16D3T-I3PF		2MP	Bullet	Plastic	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), 12 pcs IR LEDs, EXIR, 20m IR, Outdoor Bullet, ICR, 0.005 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	15568.93
DS-2CE16D3T-I3F		2MP	Bullet	Metal	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), 18 pcs IR LEDs, EXIR, 30m IR, Outdoor Bullet, ICR, 0.005 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	16680.89
DS-2CE16D3T-ITPF		2MP	Bullet	Plastic	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	16125.69
DS-2CE16D3T-ITF		2MP	Bullet	Metal	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 30m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	17792.85
DS-2CE16D3T-IT3F		2MP	Bullet	Front cover: Metal Main body: Plastic Bracket: Metal	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 50m IR, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	22240.67
DS-2CE78D3T-IT3F		2MP	Turret	Enclosure : Plastic Main body: Metal Mounting base: Plastic	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 50m IR, Outdoor EXIR Turret, ICR, 0.005 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6/8/12mm Lens, Support TVI/AHD/CVI/CVBS video signal output	20016.76

DS-2CE76D3T-ITMF		2MP	Turret	Metal	2MP CMOS Sensor, 1080P@25fps (Default)/30fps (N), EXIR, 30m IR, Outdoor EXIR Turret, ICR, 0.005 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	17792.85
DS-2CE57D3T-VPITF		2MP	Dome	Metal	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 70m IR, Outdoor EXIR Vandal Proof Dome, ICR, 0.005 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.8/3.6/6mm Lens, Support TVI/AHD/CVI/CVBS video signal output	21128.71
DS-2CE19D3T-IT3ZF		2MP	Bullet	Front cover: Metal Main body: Plastic Bracket: Metal	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 70m IR, Auto Focus, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12VDC/24VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	33361.78
DS-2CE19D3T-AIT3ZF		2MP	Bullet	Front cover: Metal Main body: Plastic Bracket: Metal	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 70m IR, Auto Focus, Outdoor EXIR Bullet, ICR, 0.005 Lux/F1.2, 12VDC/24VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	36697.65
DS-2CE79D3T-IT3ZF		2MP	Turret	Metal	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 70m IR, Auto Focus, Outdoor EXIR Turret, ICR, 0.005 Lux/F1.2, 12VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	33361.78
DS-2CE5AD3T-VPIT3ZF		2MP	Dome	Metal	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 70m IR, Auto Focus, Outdoor EXIR Vandal Proof Dome, ICR, 0.005 Lux/F1.2, 12VDC/24VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	33361.78
DS-2CE5AD3T-AVPIT3ZF		2MP	Dome	Metal	2MP CMOS Sensor, 1080P@25fps (P) (Default)/30fps (N), EXIR, 70m IR, Auto Focus, Outdoor EXIR Vandal Proof Dome, ICR, 0.005 Lux/F1.2, 12VDC/24VDC, Smart IR, True WDR, 3D DNR, OSD Menu (Up the Coax), IP67, 2.7-13.5mm Motorized Vari-focal Lens, Support TVI/AHD/CVI/CVBS video signal output	36697.65

STOCK AVAILABILITY CONTACT: RIFAZ 0755008007